

# Nitrogen

SECTION 1: Identification of the substance/mixture and of the company/undertaking         1.1         Product form       : Substance         Trade name       : Nitrogen         SDS code       : Mitrogen         CAS-No.       : 7727-37-9         EC No.       : 201-783-9         EC Index-No.       :		the solution and of the source and whether
Product form :: Substance   Trade name :: Nitrogen   SDS code :: Nitrogen   CAS-No. :: 7727-37-9   EC-No. :: 231-783-9   EC-No. :: Nitrogen   I-S-Retrogenzy telephone number :: Nitrogen   I-S-Retrogenzy telephone number :: (:1) 858 779 0377   E-T-No. :: : :   SECTON 2: Hazards identification Identification   E-S-Retrogenzy telephone number : (:1) 858 779 0377 <td< th=""><th>SECTION 1: Identification of the subs</th><th>stance/mixture and of the company/undertaking</th></td<>	SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking
Trade name :   SDS code :   MSDS Nobe :   MSDS code :	1.1. Product identifier	
SDS code : MSDS 089A.E3   Other means of identification : Nitrogen   CAS-No. : 231-783-9   EC-No. : 231-783-9   EC-No. : 231-783-9   EC-Index-No. :    REACH registration No Is Listed in Annex IV / V REACH, exempted from registration. Chemical formula Is N2 Is A Relevant identified uses of the substance or mixture and uses advised against Reveant identified uses of the substance or mixture and uses advised against Reveant identified uses of the substance or mixture and uses. Perform risk assessment prior to use. Uses advised against Is None. Is A Detail of the supplier of the safety data sheet Is A Detail of the supplier of the safety data sheet Is A Detail of the supplier of the safety data sheet Is A Detail of Completent person responsible for the SDS : ambro@bromic.com Is A Detail address of completent person responsible for the SDS : ambro@bromic.com Is CETION 2: Hazards identification SECTION 2: Hazards identification Is Cassification according to Regulation (EC) No. 1272/2008 [CLP] Physical hazards Gases under pressure : Compressed gas H280		
Other means of identification :: Nitrogen CAS-No. :: 231-783-9 EC No. :: 231-783-9 EC Index-No. ::   REACH registration No :: Listed in Annex IV / V REACH, exempted from registration.   Chemical formula :: N2   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Relevant identified uses of the substance or instrumed uses advised against :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial and professional uses. Perform risk assessment prior to use. :: None.   Industrial address of competent person responsible for the substance or instrume :: None.   Industrial address of competent person responsible for the SUS ranbro@bromic.com :: None.   Industrial address of competent person responsible for the substance or instrume :: None.   Industrial address of competent person responsible for the substance or instrume :: None.   Industrial address of competent perso		-
CAS No. : 7727-37-9   EC-No. : 231-783-9   EC-No. : 231-783-9   EC Index-No. :   REACH registration No Is Listed in Annex IV /V REACH, exempted from registration. Chemical formula Is N2 Is Chemical form is assessment prior to use. Uses advised against Is Chemical form is assessment prior to use. Is Chemical form is Chemical form is assessment prior to use. Is Chemical form is Chemical form is assessment prior to use. Is Chemical form is Chemical form is assessment prior to use. Is Chemical form is Chemical form is Chemical form is assessment prior to use. Is Chemical form i		
E Clindex-No. : REACH registration No : Listed in Annex IV /V REACH, exempted from registration. Chemical formula : N2 Chemical formula : N2 Chemical dentified uses of the substance or mixture and uses advised against Relevant identified uses : Industrial and professional uses. Perform risk assessment prior to use. Uses advised against : None. Charlais of the supplier of the safety data sheet AMBRO CONTROLS TS95 Irvine Center Dr, STE 100 Irvine California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical address of competent person responsible for the SDS : ambro@bromic.com Charline California 92618 USA T (-1) 887 779 0377 Chemical Address of California 92618 USA T (-1) 887 779 0377 Chemical Address of California 92618 USA Charline California		-
REACH registration No : Listed in Annex IV / V REACH, exempted from registration.   Chemical formula : N2   1.1. Celevant identified uses of the substance or mixture and uses advised against   Relevant identified uses of the substance or mixture and uses. Perform risk assessment prior to use.   Uses advised against : None.   1.1. Details of the suppler of the safety data sheet   AMBRO CONTROLS   7555 Irvine Center Dr, STE 100   Irvine California 92618 USA   T(+1) 858 779 0377   E-mail address of completent person responsible for the SDS : ambro@bromic.com   1.1. Exercise identification   1.1. Exercise identification   SECTION 2: Hazards identification   2.1. Classification of the substance or mixture   Classification according to Regulation (EC) No. 1272/2008 [CLP]   Physical hazards   Cases under pressure : Compressed gas   Atagenet   2.1. Label elements   Labeling according to Regulation (EC) No. 1272/2008 [CLP]		EC-No. : 231-783-9
Chemical formula       : N2         1.1. Relevant identified uses of the substance or mixture and uses advised against         Relevant identified uses       : Industrial and professional uses. Perform risk assessment prior to use.         Uses advised against       : None.         1.3. Details of the supplier of the safety data sheet         AMBRO CONTROLS         7595 Irvine Center Dr, STE 100 Irvine California 92618 USA T (+1) 858 779 0377         E-mail address of competent person responsible for the SDS : ambro@bromic.com         1.4. Emergency telephone number         E-mail address identification         SECTION 2: Hazards identification         21. Classification of the substance or mixture Gassification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         4.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]		EC Index-No. :
1.1. Relevant identified uses of the substance or mixture and uses advised against   Relevant identified uses   1. Industrial and professional uses. Perform risk assessment prior to use.   Uses advised against   2. None.   AMBRO CONTROLS   7595 Irvine Center Dr, STE 100   Irvine California 92618 USA   7 (-1) 858 779 0377   E-mail address of competent person responsible for the SDS : ambro@bronic.com   1.4. Emergency telephone number   regency telephone number   regen	REACH registration No	: Listed in Annex IV / V REACH, exempted from registration.
Relevant identified uses industrial and professional uses. Perform risk assessment prior to use.   Uses advised against is None.   AMBRO CONTROLS   AMBRO CONTROLS   7595 Irvine Center Dr, STE 100   Irvine California 92618 USA   7 (+1) 858 779 0377   E-mail address of competent person responsible for the SDS : ambro@bromic.com <b>1.4. Emergency telephone number</b> Emergency telephone number   Emergency telephone number   E.1. Classification of the substance or mixture <b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Physical hazards   Gases under pressure : Compressed gas   H280	Chemical formula	: N2
Relevant identified uses industrial and professional uses. Perform risk assessment prior to use.   Uses advised against is None.   AMBRO CONTROLS   AMBRO CONTROLS   7595 Irvine Center Dr, STE 100   Irvine California 92618 USA   7 (+1) 858 779 0377   E-mail address of competent person responsible for the SDS : ambro@bromic.com <b>1.4. Emergency telephone number</b> Emergency telephone number   Emergency telephone number   E.1. Classification of the substance or mixture <b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Physical hazards   Gases under pressure : Compressed gas   H280	1.2. Relevant identified uses of the substa	ance or mixture and uses advised against
Uses advised against       : None.         1.3. Details of the supplier of the safety data sheet         AMBRO CONTROLS         7595 Irvine Center Dr, STE 100 Irvine California 92618 USA T (+1) 858 779 0377         E-mail address of competent person responsible for the SDS : ambro@bromic.com         1.4. Emergency telephone number Emergency telephone number         : (+1) 858 779 0377         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         H280         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
AMBRO CONTROLS         7595 Irvine Center Dr, STE 100         Irvine California 92618 USA T (+1) 858 779 0377         E-mail address of competent person responsible for the SDS : ambro@bromic.com <b>1.4. Emergency telephone number</b> Emergency telephone number         r (+1) 858 779 0377 <b>SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Physical hazards       Gases under pressure : Compressed gas         H280 <b>2.2. Label elements</b> Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
AMBRO CONTROLS         7595 Irvine Center Dr, STE 100         Irvine California 92618 USA T (+1) 858 779 0377         E-mail address of competent person responsible for the SDS : ambro@bromic.com <b>1.4. Emergency telephone number</b> Emergency telephone number         r (+1) 858 779 0377         SECTION 2: Hazards identification <b>2.1. Classification of the substance or mixture</b> Classification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         H280 <b>2.2. Label elements</b> Labelling according to Regulation (EC) No. 1272/2008 [CLP]	-	ata sheet
Irvine California 92618 USA T (+1) 858 779 0377 E-mail address of competent person responsible for the SDS : ambro@bromic.com 1.4. Emergency telephone number Emergency telephone number : (+1) 858 779 0377 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Physical hazards Gases under pressure : Compressed gas H280 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]		
Irvine California 92618 USA T (+1) 858 779 0377 E-mail address of competent person responsible for the SDS : ambro@bromic.com 1.4. Emergency telephone number Emergency telephone number : (+1) 858 779 0377 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Physical hazards Gases under pressure : Compressed gas H280 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]	7595 Irvine Center Dr, STE 100	
E-mail address of competent person responsible for the SDS : ambro@bromic.com          I.4. Emergency telephone number         Emergency telephone number         ::::::::::::::::::::::::::::::::::::		
1.4. Emergency telephone number         Emergency telephone number         : (+1) 858 779 0377         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         H280         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]	T (+1) 858 779 0377	
Emergency telephone number : (+1) 858 779 0377     SECTION 2: Hazards identification     2.1. Classification of the substance or mixture   Classification according to Regulation (EC) No. 1272/2008 [CLP]   Physical hazards   Gases under pressure : Compressed gas   H280     2.2. Label elements   Labelling according to Regulation (EC) No. 1272/2008 [CLP]	E-mail address of competent person responsible for	or the SDS : ambro@bromic.com
SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         H280         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]	1.4. Emergency telephone number	
2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         H280         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Emergency telephone number	: (+1) 858 779 0377
2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         H280         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]	SECTION 2: Hazards identification	
Classification according to Regulation (EC) No. 1272/2008 [CLP]         Physical hazards       Gases under pressure : Compressed gas         H280         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]	SECTION 2. Hazarus identification	
Physical hazards       Gases under pressure : Compressed gas       H280         2.2. Label elements       Labelling according to Regulation (EC) No. 1272/2008 [CLP]       Labelling according to Regulation (EC) No. 1272/2008 [CLP]	2.1. Classification of the substance or mix	xture
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Classification according to Regulation (EC) No.	. 1272/2008 [CLP]
Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Physical hazards Gases under press	sure : Compressed gas H280
Labelling according to Regulation (EC) No. 1272/2008 [CLP]	2.2. Label elements	
		2/2008 [C] P]
	Hazaru pictograms (CLP)	
$\mathbf{V}$		
GHS04		
Signal word (CLP) : Warning		: Warning
Signal word (CLP): WarningHazard statements (CLP): H280 - Contains gas under pressure; may explode if heated.	Hazard statements (CLP)	: Warning
Signal word (CLP): WarningHazard statements (CLP): H280 - Contains gas under pressure; may explode if heated.Precautionary statements (CLP)	Hazard statements (CLP) Precautionary statements (CLP)	: Warning : H280 - Contains gas under pressure; may explode if heated.
Signal word (CLP): WarningHazard statements (CLP): H280 - Contains gas under pressure; may explode if heated.Precautionary statements (CLP)	Hazard statements (CLP) Precautionary statements (CLP)	: Warning : H280 - Contains gas under pressure; may explode if heated.
Signal word (CLP): WarningHazard statements (CLP): H280 - Contains gas under pressure; may explode if heated.Precautionary statements (CLP)	Hazard statements (CLP) Precautionary statements (CLP) - Storage	: Warning : H280 - Contains gas under pressure; may explode if heated.
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H280 - Contains gas under pressure; may explode if heated.         Precautionary statements (CLP)       :         - Storage       : P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.         2.3. Other hazards       :	Hazard statements (CLP) Precautionary statements (CLP) - Storage	<ul> <li>Warning</li> <li>H280 - Contains gas under pressure; may explode if heated.</li> <li>P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.</li> </ul>
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H280 - Contains gas under pressure; may explode if heated.         Precautionary statements (CLP)       :         - Storage       : P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.         2.3. Other hazards       Asphyxiant in high concentrations.	Hazard statements (CLP) Precautionary statements (CLP) - Storage	<ul> <li>Warning</li> <li>H280 - Contains gas under pressure; may explode if heated.</li> <li>P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.</li> </ul> Asphyxiant in high concentrations.
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H280 - Contains gas under pressure; may explode if heated.         Precautionary statements (CLP)       :         - Storage       : P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.         2.3. Other hazards       :	Hazard statements (CLP) Precautionary statements (CLP) - Storage	<ul> <li>Warning</li> <li>H280 - Contains gas under pressure; may explode if heated.</li> <li>P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.</li> </ul> Asphyxiant in high concentrations.
	Physical hazards Gases under press 2.2. Label elements Labelling according to Regulation (EC) No. 127	sure : Compressed gas H280
	Signal word (CLP)	
Signal word (CLP) : Warning		: Warning
Signal word (CLP): WarningHazard statements (CLP): H280 - Contains gas under pressure; may explode if heated.Precautionary statements (CLP)	Hazard statements (CLP) Precautionary statements (CLP)	: Warning : H280 - Contains gas under pressure; may explode if heated.
Signal word (CLP): WarningHazard statements (CLP): H280 - Contains gas under pressure; may explode if heated.Precautionary statements (CLP)	Hazard statements (CLP) Precautionary statements (CLP)	: Warning : H280 - Contains gas under pressure; may explode if heated.
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H280 - Contains gas under pressure; may explode if heated.         Precautionary statements (CLP)       : P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.	Hazard statements (CLP) Precautionary statements (CLP) - Storage	: Warning : H280 - Contains gas under pressure; may explode if heated.
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H280 - Contains gas under pressure; may explode if heated.         Precautionary statements (CLP)       :         - Storage       : P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.         2.3. Other hazards       Asphyxiant in high concentrations.	Hazard statements (CLP) Precautionary statements (CLP) - Storage	<ul> <li>Warning</li> <li>H280 - Contains gas under pressure; may explode if heated.</li> <li>P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.</li> </ul> Asphyxiant in high concentrations.
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H280 - Contains gas under pressure; may explode if heated.         Precautionary statements (CLP)       :         - Storage       : P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.         2.3. Other hazards       Asphyxiant in high concentrations.	Hazard statements (CLP) Precautionary statements (CLP) - Storage	<ul> <li>Warning</li> <li>H280 - Contains gas under pressure; may explode if heated.</li> <li>P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.</li> </ul> Asphyxiant in high concentrations.
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H280 - Contains gas under pressure; may explode if heated.         Precautionary statements (CLP)       :         - Storage       : P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.         2.3. Other hazards       Asphyxiant in high concentrations.	Hazard statements (CLP) Precautionary statements (CLP) - Storage	<ul> <li>Warning</li> <li>H280 - Contains gas under pressure; may explode if heated.</li> <li>P410 + P403 Store in a well-ventilated ventilated and protect from sunlight.</li> </ul> Asphyxiant in high concentrations.



### Nitrogen

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitrogen	CAS-No.: 7727-37-9 EC-No.: 231-783-9 EC Index-No.: REACH registration No: *1	100	Press. Gas (Comp.), H280

Contains no other components or impurities which will influence the classification of the product.

\*1: Listed in Annex IV / V REACH, exempted from registration.

\*3: Registration not required: Substance manufactured or imported < 1t/y.

3.2. Mixtures Not applicable

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	: Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped.
Skin contact	: Adverse effects not expected from this product.
Eye contact	: Adverse effects not expected from this product.
Ingestion	: Ingestion is not considered a potential route of exposure.

### 4.2. Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. See section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray or fog. Product does not burn, use fire control measures appropriate for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the substance	<u>or mixture</u>
Specific hazards Hazardous combustion products	<ul><li>Exposure to fire may cause containers to rupture/explode.</li><li>None.</li></ul>
5.3. Advice for firefighters	
Specific methods	: Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. If possible, stop flow of product.
	Use water spray or fog to knock down fire fumes if possible. Move containers away from the fire area if this can be done without risk.
Special protective equipment for fire fighters	: In confined space use self-contained breathing apparatus.
	Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters.
	Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.



# Nitrogen

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	lipment and emergency procedures
For non-emergency personnel	: Act in accordance with local emergency plan. Try to stop release. Evacuate area. Ensure adequate air ventilation. Stay upwind.
For emergency responders	<ul> <li>See section 8 of the SDS for more information on personal protective equipment</li> <li>Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.</li> <li>Oxygen detectors should be used when asphyxiating gases may be released.</li> <li>See section 5.3 of the SDS for more information.</li> </ul>
6.2. Environmental precautions	
	Try to stop release.
6.3. Methods and material for containmen	nt and cleaning up
	Ventilate area.
6.4. Reference to other sections	
	See also sections 8 and 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Safe use of the product	: Do not breathe gas.
Safe handling of the gas receptacle	<ul> <li>Avoid release of product into work area.</li> <li>The product must be handled in accordance with good industrial hygiene and safety procedures.</li> <li>Only experienced and properly instructed persons should handle gases under pressure.</li> <li>Consider pressure relief device(s) in gas installations.</li> <li>Ensure the complete gas system was (or is regularily) checked for leaks before use.</li> <li>Do not smoke while handling product.</li> <li>Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt.</li> <li>Avoid suck back of water, acid and alkalis.</li> <li>Refer to supplier's container handling instructions.</li> <li>Do not allow backfeed into the container.</li> <li>Protect containers from physical damage; do not drag, roll, slide or drop.</li> <li>When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders.</li> <li>If user experiences any difficulty operating valve discontinue use and contact supplier.</li> </ul>
	Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the content of the container. Suck back of water into the container must be prevented. Open valve slowly to avoid pressure shock.
7.2. Conditions for safe storage, includin	
	Observe all regulations and local requirements regarding storage of containers. Containers should not be stored in conditions likely to encourage corrosion. Containers should be stored in the vertical position and properly secured to prevent them from falling over. Keep container below 50°C in a well ventilated place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.
7.3. Specific end use(s)	
	None.



# Nitrogen

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
OEL (Occupational Exposure Limits)	: None available.	
DNEL (Derived-No Effect Level)	: None available.	
PNEC (Predicted No-Effect Concentration)	: None available.	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls		
	Provide adequate general and local exhaust ventilation. Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularily checked for leakages. Consider the use of a work permit system e.g. for maintenance activities.	
8.2.2. Individual protection measures, e.g. persona	al protective equipment	
	A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected.	
Eye/face protection	<ul> <li>Wear safety glasses with side shields.</li> <li>Standard EN 166 - Personal eye-protection - specifications.</li> </ul>	
Skin protection		
Hand protection	: Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher.	
Other	: Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.	
Respiratory protection	<ul> <li>Self contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres.</li> <li>Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems.</li> <li>Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.</li> </ul>	
Thermal hazards	: None in addition to the above sections.	
8.2.3. Environmental exposure controls		
	None necessary.	

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance		
<ul> <li>Physical state at 20°C / 101.3kPa</li> </ul>	Gas.	
- Colour	Colourless.	
Odour	No odour warning propert	ies.
	Odour threshold is subjec	tive and inadequate to warn of overexposure.
Melting point / Freezing point	-210 °C	
Boiling point	-196 °C	
Flammability	Non flammable.	
Lower explosive limit (LEL)	Not available.	
Upper explosive limit (UEL)	Not available.	
Flash point	Not applicable for gases a	and gas mixtures.
Auto-ignition temperature	Non flammable.	
Decomposition temperature	Not applicable.	
pH	Not applicable for gases a	and gas mixtures.
Viscosity, kinematic	No reliable data available.	
Water solubility [20°C]	20 mg/l	
Partition coefficient n-octanol/water (Log Kow)	Not available.	
Vapour pressure [20°C]	Not applicable.	
Vapour pressure [50°C]	Not applicable.	
Density and/or relative density	Not applicable.	
Relative vapour density (air=1)	0,97	
Particle characteristics	Not applicable for gases a	and gas mixtures.



# Nitrogen

	Nitiogen
9.2. Other information	
9.2.1. Information with regard to physical hazard	d classes
Explosion limits Oxidising properties Critical temperature [°C]	<ul> <li>Non flammable.</li> <li>No oxidising properties.</li> <li>-147 °C</li> </ul>
9.2.2. Other safety characteristics	
Molar mass Other data	: 28 g/mol : None.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
	No reactivity hazard other than the effects described in sub-sections below.
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous reactions	
	None.
10.4. Conditions to avoid	
	Avoid moisture in installation systems.
10.5. Incompatible materials	
	For additional information on compatibility refer to ISO 11114.
10.6. Hazardous decomposition products	
	None.
SECTION 11: Toxicological informati	ion
11.1. Information on hazard classes as de	fined in Regulation (EC) No 1272/2008
Acute toxicity	: No known toxicological effects from this product.
Skin corrosion/irritation	: No known effects from this product.
Serious eye damage/irritation	: No known effects from this product.
Respiratory or skin sensitisation	: No known effects from this product.
Germ cell mutagenicity	: No known effects from this product.
Carcinogenicity	: No known effects from this product.
Toxic for reproduction : Fertility	: No known effects from this product.
Toxic for reproduction : unborn child	: No known effects from this product.
STOT-single exposure	: No known effects from this product.
STOT-repeated exposure	: No known effects from this product.
Aspiration hazard	: Not applicable for gases and gas mixtures.
11.2. Information on other hazards	
Other information	: The substance/mixture has no endocrine disrupting properties.
SECTION 12: Ecological information	
<u>12.1. Toxicity</u>	
Assessment	: No ecological damage caused by this product.

### EC50 48h - Daphnia magna [mg/l]



Version: 1.0 Revision date: 23/12/2022 Issue date: 23/12/2022

### Nitrogen

	0
EC50 72h - Algae [mg/l] LC50 96 h - Fish [mg/l]	No data available.     No data available.
12.2. Persistence and degradability	
Assessment	: No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Assessment	: No ecological damage caused by this product.
12.4. Mobility in soil	
Assessment	: No ecological damage caused by this product.
12.5. Results of PBT and vPvB assessment	
Assessment	: Not classified as PBT or vPvB.
12.6. Endocrine disrupting properties	
	The substance/mixture has no endocrine disrupting properties.
12.7. Other adverse effects	
Other adverse effects	: No known effects from this product.
Effect on the ozone layer Effect on global warming	: No effect on the ozone layer. : None.
SECTION 13: Disposal considerations	
SECTION 13. Disposal considerations	
13.1. Waste treatment methods	
	May be vented to atmosphere in a well ventilated place.
	Do not discharge into any place where its accumulation could be dangerous. Cylinders are not refillable containers. If the cylinder must be taken out of use, ask the
	manufacturer/distributor for information on proper disposal.
List of hazardous waste codes (from Commission Decision 2000/532/EC as amended)	: 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.
13.2. Additional information	
	External treatment and disposal of waste should comply with applicable local and/or national regulations.
SECTION 14: Transport information	
14.1. UN number or ID number	

### 14.1. UN number or ID number

In accordance with ADR / RID / IMDG / IATA / ADN	
UN-No.	

### 14.2. UN proper shipping name

Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR) Transport by sea (IMDG)

### 14.3. Transport hazard class(es)

Labelling

#### Transport by road/rail (ADR/RID) Class

Classification code Hazard identification number Tunnel Restriction

### Transport by sea (IMDG)

Class / Div. (Sub. risk(s)) Emergency Schedule (EmS) - Fire Emergency Schedule (EmS) - Spillage

: NITROGEN, COMPRESSED

: NITROGEN, COMPRESSED

2.2 : Non-flammable, non-toxic gases.

#### : 2 : 1A : 20

: E - Passage forbidden through tunnels of category E

## : 2.2

: 1066

: not expected

: 2.2 : F-C

: S-V



Version: 1.0 Revision date: 23/12/2022 Issue date: 23/12/2022

# Nitrogen

14.4. Packing group		
Transport by road/rail (ADR/RID)	: Not applicable	
Transport by sea (IMDG)	: Not applicable	
14.5. Environmental hazards		
Transport by road/rail (ADR/RID)	: None.	
Transport by sea (IMDG)	: None.	
14.6. Special precautions for user		
Packing Instruction(s)		
Transport by road/rail (ADR/RID)	: P200	
Transport by sea (IMDG)	: P200	
Special transport precautions	<ul> <li>Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.</li> <li>Before transporting product containers:         <ul> <li>Ensure there is adequate ventilation.</li> </ul> </li> </ul>	
	- Ensure that containers are firmly secured.	
14.7. Maritime transport in bulk according to IMO instruments		

Not applicable.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU-Regulations

Restrictions on use Other information, restriction and prohibition regulations Seveso Directive : 2012/18/EU (Seveso III)	<ul> <li>None.</li> <li>Not listed on the PIC list (Regulation EU 649/2012).</li> <li>Not covered.</li> </ul>
National regulations	
Regulatory reference	: Ensure all national/local regulations are observed.
15.2. Chemical safety assessment	
	A CSA does not need to be carried out for this product.

SECTION 16: Other information		
Indication of changes	: Safety data sheet in accordance with commission regulation (EU) No 2020/878.	
Abbreviations and acronyms	<ul> <li>ATE - Acute Toxicity Estimate</li> <li>CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008</li> <li>REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006</li> <li>EINECS - European Inventory of Existing Commercial Chemical Substances</li> <li>CAS# - Chemical Abstract Service number</li> <li>PPE - Personal Protection Equipment</li> <li>LC50 - Lethal Concentration to 50 % of a test population</li> <li>RMM - Risk Management Measures</li> <li>PBT - Persistent, Bioaccumulative and Toxic</li> <li>vPvB - Very Persistent and Very Bioaccumulative</li> <li>STOT- SE : Specific Target Organ Toxicity - Single Exposure</li> <li>CSA - Chemical Safety Assessment</li> <li>EN - European Agreement concerning the International Carriage of Dangerous Goods by Road</li> <li>IATA - International Maritime Dangerous Goods</li> <li>RID - Regulations concerning the International Carriage of Dangerous Goods by Road</li> <li>WGK - Water Hazard Class</li> <li>STOT - RE : Specific Target Organ Toxicity - Repeated Exposure</li> <li>UPA - Neternational Maritime Dangerous Goods</li> <li>RID - Regulations concerning the International Carriage of Dangerous Goods by Road</li> <li>WGK - Water Hazard Class</li> <li>STOT - RE : Specific Target Organ Toxicity - Repeated Exposure</li> <li>UFI : Unique Formula Identifier</li> </ul>	
AMBRO CONTROLS	EN (English) 7	



Nitrogen	
Training advice	<ul> <li>The hazard of asphyxiation is often overlooked and must be stressed during operator training.</li> <li>For more guidance, refer to EIGA SL 01 "Dangers of Asphyxiation", downloadable at http://www.eiga.eu</li> </ul>
Further information	<ul> <li>Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP).</li> <li>Key literature references and sources of data are maintained in EIGA doc 169 : 'Classification and Labelling Guide', downloadable at http://www.Eiga.eu .</li> </ul>
Full text of H- and EUH-statements	
H280	Contains gas under pressure; may explode if heated.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
DISCLAIMER OF LIABILITY	: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

resulting from its use can be accepted.

Details given in this document are believed to be correct at the time of going to press.

Whilst proper care has been taken in the preparation of this document, no liability for injury or damage

End of document